

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : RACUMIN SCHAUM

Product code : Article/SKU: 80218559 UVP: 80260997 Specification:  
102000025363 Authorisation/Biozid-Zulassung No: AT-  
0008414-0000

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Rodenticides, Plant protection agent

Recommended restrictions  
on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : 2022 ES Deutschland GmbH  
Alfred-Nobel Straße 50  
40789 Monheim am Rhein, Germany

Telephone : +49 2173 9935239

E-mail address of person  
responsible for the SDS : pest-partner@envu.com

#### 1.4 Emergency telephone number

Vergiftungsinformationszentrale der Gesundheit Österreich GmbH:  
+43 (0) 1 406 43 43 (24h)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Reproductive toxicity, Category 1B	H360D: May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

Long-term (chronic) aquatic hazard, Category 2      H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### REGULATION (EC) No 1272/2008

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.
- H319 Causes serious eye irritation.
- H360D May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

- P201 Obtain special instructions before use.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
- P391 Collect spillage.

#### **Storage:**

- P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

#### **Disposal:**

- P501 Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

#### **Hazardous components which must be listed on the label:**

Coumatetralyl

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version 1.2      Revision Date: 21.02.2024      SDS Number: 11210639-00003      Date of last issue: 06.10.2023  
Date of first issue: 03.05.2023

### Additional Labelling

EUH401      To avoid risks to human health and the environment, comply with the instructions for use.

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature      :      Aerosol dispenser (AE)

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Isotridecanol, ethoxylated	69011-36-5	Acute Tox. 4; H302 Eye Dam. 1; H318  Acute toxicity estimate  Acute oral toxicity: 300,03 mg/kg	>= 1 - < 3
Coumatetralyl	5836-29-3 227-424-0 607-059-00-7	Acute Tox. 2; H300 Acute Tox. 2; H330 Acute Tox. 3; H311 Repr. 1B; H360D STOT RE 1; H372 (Blood) Aquatic Chronic 1; H410  M-Factor (Chronic	>= 0,3 - < 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version 1.2	Revision Date: 21.02.2024	SDS Number: 11210639-00003	Date of last issue: 06.10.2023 Date of first issue: 03.05.2023
----------------	------------------------------	-------------------------------	---

		aquatic toxicity): 10 <hr/> specific concentration limit Repr. 1B; H360D >= 0,003 % STOT RE 1; H372 >= 1 % STOT RE 2; H373 0,1 - < 1 % <hr/> Acute toxicity estimate  Acute oral toxicity: 15 mg/kg Acute inhalation toxicity (dust/mist): 0,05001 mg/l Acute dermal toxicity: 258 mg/kg
--	--	--

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : If large amounts are ingested, the following symptoms may occur:  
Internal and external bleeding  
shock possible  
Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

Risks : Causes serious eye irritation.  
May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.  
Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions.  
Necessity and efficacy have to be assessed by INR.  
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours.  
However, the application of activated charcoal and sodium sulphate is always advisable.  
Monitor: blood picture.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.  
If the temperature rises there is danger of the vessels bursting

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

due to the high vapor pressure.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe spray.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.  
Do not spray on an open flame or other ignition source.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Do not pierce or burn, even after use. Keep cool. Protect from sunlight.
- Advice on common storage : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version 1.2      Revision Date: 21.02.2024      SDS Number: 11210639-00003      Date of last issue: 06.10.2023  
Date of first issue: 03.05.2023

Substances and mixtures, which in contact with water, emit flammable gases  
Explosives  
Gases

Storage class (TRGS 510) : 2B

### 7.3 Specific end use(s)

Specific use(s) : Refer to the label and/or leaflet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Butane	106-97-8	MAK-KZW	1.600 ppm 3.800 mg/m <sup>3</sup>	AT OEL
		MAK-TMW	800 ppm 1.900 mg/m <sup>3</sup>	AT OEL
2,2',2''-Nitrilotriethanol	102-71-6	MAK-TMW	0,8 ppm	AT OEL
	Further information: The working compounds induce allergic hypersensitivity reactions, that are far above the average measure			
		MAK-TMW (inhalable fraction)	5 mg/m <sup>3</sup>	AT OEL
	Further information: The working compounds induce allergic hypersensitivity reactions, that are far above the average measure			
		MAK-KZW	1,6 ppm	AT OEL
	Further information: The working compounds induce allergic hypersensitivity reactions, that are far above the average measure			
		MAK-KZW (inhalable fraction)	10 mg/m <sup>3</sup>	AT OEL
	Further information: The working compounds induce allergic hypersensitivity reactions, that are far above the average measure			
propane	74-98-6	MAK-KZW	2.000 ppm 3.600 mg/m <sup>3</sup>	AT OEL
		MAK-TMW	1.000 ppm 1.800 mg/m <sup>3</sup>	AT OEL

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Fatty acids, C16-C18	Workers	Inhalation	Long-term systemic effects	17,632 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic	4,348 mg/m <sup>3</sup>



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version 1.2      Revision Date: 21.02.2024      SDS Number: 11210639-00003      Date of last issue: 06.10.2023  
Date of first issue: 03.05.2023

			effects	
	Consumers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,5 mg/kg bw/day
Glycerine	Workers	Inhalation	Long-term local effects	56 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	229 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	33 mg/m <sup>3</sup>
2,2',2"-Nitrilotriethanol	Workers	Skin contact	Long-term systemic effects	6,3 mg/kg bw/day
	Workers	Inhalation	Long-term local effects	5 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	5 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	13 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	3,1 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	1,25 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	1,25 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value	
Glycerine	Fresh water	0,885 mg/l	
	Marine water	0,0885 mg/l	
	Intermittent use/release	8,85 mg/l	
	Sewage treatment plant	1000 mg/l	
	Fresh water sediment	3,3 mg/kg dry weight (d.w.)	
	Marine sediment	0,33 mg/kg dry weight (d.w.)	
	Soil	0,141 mg/kg dry weight (d.w.)	
	2,2',2"-Nitrilotriethanol	Fresh water	0,32 mg/l
		Marine water	0,032 mg/l
Intermittent use/release		5,12 mg/l	
Sewage treatment plant		10 mg/l	
Fresh water sediment		1,7 mg/kg dry weight (d.w.)	
Marine sediment		0,17 mg/kg dry weight (d.w.)	
Coumatetralyl	Soil	0,151 mg/kg dry weight (d.w.)	
	Fresh water	0,1 µg/l	
	Sewage treatment plant	42,1 mg/l	
	Soil	0,225 mg/kg dry weight (d.w.)	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

Oral (Secondary Poisoning)

0,14 mg/kg food

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.

If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

#### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:  
Safety goggles  
Equipment should conform to ÖNORM EN 166

#### Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : > 0,4 mm  
Directive : Equipment should conform to ÖNORM EN 374  
Protective index : Class 6

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Wear the following personal protective equipment:  
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to ÖNORM EN 137

Filter type : Self-contained breathing apparatus

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state : aerosol

Propellant : Butane, propane, Isobutane

Colour : dark blue

Odour : characteristic, very faint

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : Not applicable

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : substance/mixture is a gas

Viscosity  
Viscosity, kinematic : Not applicable

Solubility(ies)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

Water solubility : completely miscible

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : Not applicable

Density : ca. 0,95 g/cm<sup>3</sup> (20,00 °C)

Relative vapour density : Not applicable

Particle characteristics  
Particle size : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Extremely flammable aerosol.  
Vapours may form explosive mixture with air.  
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.  
Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure :  
Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

#### Components:

##### **Isotridecanol, ethoxylated:**

Acute oral toxicity : LD50 (Rat): > 300 - 2.000 mg/kg  
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402

##### **Coumatetralyl:**

Acute oral toxicity : LD50 (Rat, female): 15 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : Acute toxicity estimate: 0,05001 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement

Acute dermal toxicity : LD50 (Rat, female): 258 mg/kg  
Method: OECD Test Guideline 402

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

#### Components:

##### Isotridecanol, ethoxylated:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

##### Coumatetralyl:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Remarks	:	Based on data from similar materials

#### Components:

##### Isotridecanol, ethoxylated:

Species	:	Rabbit
Method	:	Draize Test
Result	:	Irreversible effects on the eye

##### Coumatetralyl:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Product:

Exposure routes	:	Skin contact
-----------------	---	--------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

### Components:

#### **Coumatetralyl:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Coumatetralyl:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

#### **Carcinogenicity**

Not classified based on available information.

#### **Reproductive toxicity**

May damage the unborn child.

### Components:

#### **Coumatetralyl:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### **Coumatetralyl:**

Exposure routes	:	Ingestion
Target Organs	:	Blood
Assessment	:	Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### **Coumatetralyl:**

Species	:	Rat
LOAEL	:	0,021 mg/kg
Application Route	:	Ingestion
Exposure time	:	112 Days
Method	:	OECD Test Guideline 408

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

### Experience with human exposure

#### Components:

##### **Coumatetralyl:**

General Information	:	Symptoms: Specific developmental abnormalities Remarks: Based on data from similar materials
---------------------	---	---



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **Isotridecanol, ethoxylated:**

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 : > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 : > 1 - 10 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50 : > 10.000 mg/l  
Exposure time: 17 h  
Method: DIN 38 412 Part 8
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 1 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

##### **Coumatetralyl:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 14 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 18 mg/l  
Exposure time: 72 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 5,6 mg/l  
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0,005 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,1 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

### 12.2 Persistence and degradability

#### Components:

##### **Isotridecanol, ethoxylated:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301B  
Remarks: Based on data from similar materials

##### **Coumatetralyl:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### 12.3 Bioaccumulative potential

#### Components:

##### **Coumatetralyl:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 11,4  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 3,4

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.
- Contaminated packaging : Follow advice on product label and/or leaflet.  
Empty containers retain residue and can be dangerous.  
Do not re-use empty containers.
- Waste Code : The following Waste Codes are only suggestions:
- used product  
16 05 04, gases in pressure containers (including halons) containing hazardous substances
- unused product  
16 05 04, gases in pressure containers (including halons) containing hazardous substances
- uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- ADN : UN 1950  
ADR : UN 1950  
RID : UN 1950  
IMDG : UN 1950  
IATA : UN 1950

#### 14.2 UN proper shipping name

- ADN : AEROSOLS  
ADR : AEROSOLS  
RID : AEROSOLS  
IMDG : AEROSOLS

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

**IATA** : Aerosols, flammable

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 2	2.1
<b>ADR</b>	: 2	2.1
<b>RID</b>	: 2	2.1
<b>IMDG</b>	: 2.1	
<b>IATA</b>	: 2.1	

### 14.4 Packing group

**ADN**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Labels : 2.1

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Labels : 2.1  
Tunnel restriction code : (D)

**RID**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Hazard Identification Number : 23  
Labels : 2.1

**IMDG**  
Packing group : Not assigned by regulation  
Labels : 2.1  
EmS Code : F-D, S-U

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

### 14.5 Environmental hazards

**ADN**  
Environmentally hazardous : no

**ADR**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

Environmentally hazardous : no

### RID

Environmentally hazardous : no

### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 75  
If you intend to use this product as tattoo ink, please contact your vendor.

Coumatetralyl (Number on list 30)

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

(Annex XIV)

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

Authorisation number : AT-0008414-0000

Product Type : Rodenticides

Active substance : 0,4 %  
Coumatetralyl

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
18	Liquefied flammable gases (including LPG) and natural gas	50 t	200 t

P3a	FLAMMABLE AEROSOLS	150 t	500 t
-----	--------------------	-------	-------

E2	ENVIRONMENTAL HAZARDS	200 t	500 t
----	-----------------------	-------	-------

Water hazard class (Germany) : WGK 3 highly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H300 : Fatal if swallowed.  
H302 : Harmful if swallowed.  
H311 : Toxic in contact with skin.  
H318 : Causes serious eye damage.  
H330 : Fatal if inhaled.  
H360D : May damage the unborn child.  
H372 : Causes damage to organs through prolonged or repeated

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

H410 : exposure.  
: Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Repr. : Reproductive toxicity  
STOT RE : Specific target organ toxicity - repeated exposure  
AT OEL : Austria. Limit values regulation - Annex I: Substance list  
AT OEL / MAK-TMW : Time Weighted Average  
AT OEL / MAK-KZW : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Classification of the mixture:**

**Classification procedure:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## RACUMIN SCHAUM

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
1.2	21.02.2024	11210639-00003	Date of first issue: 03.05.2023

---

Aerosol 1	H222, H229	Based on product data or assessment
Eye Irrit. 2	H319	Based on product data or assessment
Repr. 1B	H360D	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AT / EN